

Hand Pallet Truck



Vol. 5



AAK HANDLING EQUIPMENTS

About Us

Owing to the sharp business acumen and in-depth industry knowledge of our mentor, Mr. Nain Singh Yadav, we have been able to carve a niche for ourselves in the industry. Having an industrial experience of over 14 years, Mr. Nain Singh Yadav has been a guiding force and an inspiration for all of us to excel in whatever we do.

We are an Organization which offers an array of products required for efficient handling of materials.



We manufacture an array of Material handling equipment products : SS Hand Pallet Truck ,Hand Pallet Truck, Roll Pallet Truck, Roll Stacker, Drum Handler, Drum Lifter & Tilter, Drum Handling Trolley, Manual Stacker, Electric Stacker, Floor Crane, Tow Truck, Platform Truck, Dock Leveler, Scissor Lift Table, Mobile Ramp



We are a Group of technical people, hawk-eyed, leaving no stones unturned for continuous up-gradation of quality of products and infusion of most modern & latest technologies.

We are situated in Ghaziabad, the commercial hub of Uttar Pradesh in India, our manufacturing unit is equipped with the latest machinery and other tool equipment , we make use of the most advanced technology that enables us to provide equipment's like Lifting Equipment's, Hydraulic Stackers etc. that are at par with the international standard.

Moreover, our dedicated and committed team helps us in consistently maintaining our superior quality standards. Currently we manufacture and supply.

AAK HANDLING EQUIPMENTS

AAK manufacture a wide range of hand pallet trucks with comfortable powder coated handle. Our 3 mm and 3.5 mm sheet thickness of pallet structure it give more strength and long life. Fully sealed galvanized hydraulic unit housing. Single valve cartridge for easy maintenance. Lead in and lead out rollers reduce damage to pallet. AAK manufacture customized pallets as per user requirement.

Feature:

- Easy 3 position control handle-- Raise, Lower, Neutral.
- Ergonomic power coated handle, which is comfortable and convenient to operate.
- Fork lowering speed is controllable, operated by hand control as well as foot pedal.
- Integrated casting pump & welded pump.
- Extra reinforced on fork frame.
- Solid steel lifting rods for extra strength.

Wheels: Nylon wheel, Rubber wheel, Polyurethane wheel.



Nylon & PU Wheel



High Capacity Wheel Bracket



3 Pos. Handle



High Quality Casted Pump



Nylon & PU. Load Wheel

AAK HANDLING EQUIPMENTS

Hand Pallet Truck-2.5 Ton



Description	UNIT	APT 2.5T - 550N/P	APT 2.5T - 685N/P
Capacity	Kg		Up to 2500
Overall dimensions	mm	1550 X 550 X 1180	1620 X 685 X 1180
Min. Fork Height	mm		85 - 90
Max. Fork Height	mm		195 - 200
Max. Lifting Hight	mm		≥110
Fork Outside Distance	mm	550	685
Fork Length	mm	1150	1220
Fork Width	mm		150
Load Roller Double Wheel	mm		ø80 x 70
Steering Wheel	mm		ø180 x 50
Fork Thickness	mm		3.2
Pump	Std		DF/AC (Welded/Machined)
Handle	Std		Mild Steel Powder Coated
Structure	Ms Fab.		Mild Steel Powder Coated
Net Weight	Kg	75	80
Material of Wheel	Std		Nylon / Polyurethane

AAK HANDLING EQUIPMENTS

Scale Hand Pallet Truck-2.0 Ton

Description	Unit	APT 2.0T 560N/P -WS	APT 2.0T 695N/P -WS
Capacity	kg	Up to 2000	
Fork dimensions	mm	150 × 50 × 1150	1620 × 695 × 1180
Min.fork height	mm	85 - 90	
Max.fork height	mm	195 - 200	
Max. Lifting Hight	mm	≥115	
Fork Outside Distance	mm	560	695
Fork length	mm	1150	1220
Fork Width	mm	160	
Load roller	Std	ø80 x 70	
Stering Wheel	mm	ø180 x 50	
Fork Thickness	mm	3.2	
Pump	Std	DF/AC (Welded/Machined)	
Handle	Std	Mild Steel Powder Coated	
Structure	Std	Mild Steel Powder Coated	
Net Weight	KG	115	122
Material of Wheel	Std	Nylon / Polyurethane	



We manufacture scale hand pallet truck with the compact designed instrument, and high-precision weighing sensor with the accuracy of 0.1-0.2%, with gross weight.

Features:

Most standard and popular model with capacity 1500/2000 kgs in light duty.

- Hand brake / drive hand pallet truck
- Easy 3 position control handle-- Raise, Lower, Neutral.
- Easy manual zero correction.
- Gross /net weighing with the accuracy of 0.1-0.2%.
- Ergonomic powder coated handle, which is comfortable and convenient to operate.
- Fork lowering speed is controllable, operated by hand control and foot pedal.
- Integrated casting pump & welded pump.
- Error message in display.
- AAK provides reinforced fork frame for extra strength.
- We provide customized products as per client's requirements.
- Factory calibration and user calibration
- Backlight indicator for read out

Wheels: Nylon wheel, Rubber wheel, Polyurethane wheel, Steel wheel

AAK HANDLING EQUIPMENTS

Hand Pallet Truck-Low Height

Description	UNIT	APT 1.5T - 550N/P	APT 2.0T - 685N/P
Capacity	Kg	Up to 1500	Up to 2000
Overall dimensions	mm	1550 X 550 X 1180	1620 X 685 X 1180
Min. Fork Height	mm	50 - 55	60 - 65
Max. Fork Height	mm		160 - 165
Max. Lifting Hight	mm		≥110
Fork Outside Distance	mm	550	685
Fork Length	mm	1150	1220
Fork Width	mm		150
Load Roller Double Wheel	mm	ø50 x 7	ø60 x 70
Steering Wheel	mm	ø160	ø160 x 50
Fork Thickness	mm		3
Pump	Std	DF/AC (Welded/Machined)	
Handle	Std	Mild Steel	
Structure	Ms Fab.	Mild Steel	
Net Weight	Kg	65	67
Material of Wheel	Std	Nylon / Polyurethane	



AAK manufactured Low Height pallet trucks with 1.5 and 2.0 ton capacity. We use standard design 2.5 ton capacity pump for low height pallets. Single valve cartridge for easy maintenance. Lead in and lead out rollers reduce damage to pallet.

Features:

Most standard and popular model with capacity 1500/2000 kgs in light duty.

- Hand brake / drive hand pallet truck
- Easy 3 position control handle-- Raise, Lower, Neutral.
- Ergonomic powder coated handle, which is comfortable and convenient to operate.
- Fork lowering speed is controllable, operated by hand control and foot pedal.
- Integrated casting pump & welded pump.
- AAK provides reinforced fork frame for extra strength.
- We provide customized products as per client's requirements.

Wheels: Nylon wheel, Rubber wheel, Polyurethane wheel, Steel wheel

AAK HANDLING EQUIPMENTS

Hand Pallet Truck-SS

Description	Unit	APT 2.0T - 550N/P SS	APT 2.0T - 685N/P SS
Capacity	Kg	Up to 2000	
Overall dimensions	mm	1550 X 550 X 1180	1620 X 685 X 1180
Min. Fork Height	mm	85 - 90	
Max. Fork Height	mm	195 - 200	
Max. Lifting Hight	mm	≥110	
Fork Outside Distance	mm	550	685
Fork Length	mm	1150	1220
Fork Width	mm	150	
Load Roller Double Wheel	mm	ø80 x 70	
Stering Wheel	mm	ø180 x 50	
Fork Thickness	mm	3	
Pump	Std	Hard Chrome Plated / SS	
Handle	Std	S.S.304	
Structure	Std	S.S.304	
Net Weight	Kg	73	78
Material of Wheel	Std	Nylon / Polyurethane	



SS pallet trucks mainly use for FMCG and pharma companies such as: sea food, cold place, chemicals and etc. All parts of the whole pallet truck are made from 304 grade stainless steel, including hydraulic pump, fork frame, handle and so on. 3 mm sheet thickness of pallet structure it give more strength and long life.

Feature:

- Easy 3 position control handle-- Raise, Lower, Neutral.
- Stainless steel hydraulic pump pallet with 2000 kg loading capacity.
- The high efficiency ss-pump jack has a two year manufacturer warranty.
- Nylon & Polyurethane wheels deliver superior durability.
- All parts are stainless including hydraulic pump, fork frame, handle, push rod, bearing, pin and bolt, etc.
- Use in meat and other food industries, dairy, canning and areas where corrosive acids and saline solutions are used.
- Fully sealed machined SS-304 pump with safety overload & bypass system.
- Fork lowering speed is controllable, operated by hand control and foot pedal.

Wheels: Nylon wheel, Rubber wheel, Polyurethane wheel, Steel wheel

AAK HANDLING EQUIPMENTS

Hand Pallet Truck-Heavy Duty

Description	Unit	APT 3.5T - 550 N/S	APT 5.0T - 580 N/S
Capacity	Kg	UPTO 3500	UPTO 5000
Overall dimensions	mm	1550 X 550 X 1180	1550 X 580 X 1180
Min. Fork Height	mm	80 - 85	90 - 95
Max. Fork Height	mm	195 - 200	200 - 205
Max. Lifting Hight	mm	≥115	
Fork Outside Distance	mm	550	580
Fork Length	mm	1150	
Fork Width	mm	150	200
Load Roller Wheel	mm	ø80 x 70	
Steering Wheel	mm	ø180x 50	
Fork Thickness	mm	4	5
Pump	Std	DF/(Welded)	
Handle	Std	Mild Steel Powder Coated	
Weight	kg	125	160
Structure	Std	Mild Steel Powder Coated	
Material of Wheel	Std	Nylon / Steel	



We manufacturer heavy duty and extra heavy duty pallets for 3.5 ton and 5 ton load handling. We used 5 mm thickness sheet for pallet structure it give more strength and long life. We use Indian design pump for these heavy duty pallets. Single valve cartridge for easy maintenance. Lead in and lead out rollers reduce damage to pallet.

Feature:

Easy 3 position control handle-- Raise, Lower, Neutral

- Powder coated body and hard chrome plated piston.
- Foot release and hand release both option.
- Entry slide for easy entry in closed pallets.
- High load carrying capacity steel wheels.
- Adjustable Push Rod with additional support for 5 ton capacity load.
- 5mm thick sheet for extra strength of forks & body.
- Heavy duty additional angle supports on lifting lever frame.
- Fork lowering speed is controllable, operated by foot pedal.

AAK HANDLING EQUIPMENTS

Other Equipment's



Hand Pallet Truck-LH



Semi Electric
Roll Handler



Platform Truck



Semi Electric
Roll Handler



Manual Stacker



Semi Electric Stacker

AAK HANDLING EQUIPMENTS

Other Equipment's



Drum Handler



Drum Trollies



Drum Lifter & Tilter



Portable Scissor



Portable Scissor



Roll Handler-Horizontal

AAK HANDLING EQUIPMENTS

Our Customers





AAK - Lift

AAK Handling Equipments Pvt. Ltd

Plot No. 174, Sybly Industrial Area Abupur, NH-58, Muradnagar,
Ghaziabad-201206, Uttar Pradesh, India Ph.: +9101232-262999

E-mail : k_puri@aakhandling.com, sales@aakhandling.com

www.aakhandling.com